

26. RACES AND GAMES

IMPORTANT FACTS

Races: A contest of speed in running, riding, driving, sailing or rowing is called race

Course: The ground or path on which contests are made is called a race course.

Starting Point: The point from which a race begins is known as a starting point.

Winning Point or Goal: The point set to bound a race is called a winning point or a goal.

Winner: The person who first reaches the winning point is called a winner.

Dead Heat Race: If all the persons contesting a race reach the goal exactly at the same time, then the race is said to be a dead heat race.

Start: Suppose A and B are two contestants in a race. If before the start of the race, A is at the starting point and B is ahead of A by 12 metres, then we say that 'A gives B, a start of 12 metres.'

To cover a race of 100 metres in this case, A will have to cover 100 metres while B will

have to cover only $(100 - 12) = 88$ metres. i

In a 100 m race, 'A can give B 12 m' or 'A can give B a start of 12 m' or 'A beats B 12 m' means that while A runs 100 m, B runs $(100 - 12) = 88$ m.

Games: 'A game of 100, means that the person among the contestants who scores 100m first is the winner.

If A scores 100 points while B scores only 80 points, then we say that 'A can give B 20 points.'

SOLVED EXAMPLES :

Ex. 1. In a km race, A beats B by 28 metres or 7 seconds. Find A's time over the course.

Sol. Clearly, B covers 28 m in 7 seconds.

∴ B's time over the course = $(\frac{278}{7} \times 1000)$ sec = 250 seconds.

∴ A's time over the course = $(250 - 7)$ sec = 243 sec = 4 min. 3 sec.

Ex. 2. A runs $1\frac{3}{4}$ times as fast as B. if A gives B a start of 84 m, how far must winning post be so that A and B might reach it at the same time?

Sol. Ratio of the rates of A and B = $\frac{7}{4} : 1 = 7 : 4$.

So, in a race of 7 m, A gains 3m over B.

∴ 3 m are gained by A in a race of 7 m.

∴ 84 m are gained by A in a race of $(\frac{7}{3} \times 84)$ m = 196 m.

∴ Winning post must be 196 m away from the starting point.

Ex. 3. A can run 1 km in 3 min. 10 sec. and B can cover the same distance in 3 min. 20 sec. By what distance can A beat B ?

Soln: Clearly, A beats B by 10 sec.

Distance covered by B in 10 sec. = $(\frac{1000 \times 10}{200})$ m = 50 m.

Therefore A beats B by 50 metres.

Ex. 4 . In a 100 m race, A runs at 8km per hour. If A gives B a start of 4 m and still him by 15 seconds, what is the speed of B ?

Sol: Time taken by A to cover 100 m = $(\frac{60 \times 60}{8000}) \times 100$ sec = 45 sec.

B covers $(100 - 4)$ m = 96 m in $(45 + 15)$ sec = 60 sec.

B's speed = $(\frac{96 \times 60 \times 60}{60 \times 1000})$ km/hr = 5.76 km/hr.

Ex. 5. A, B and C are three contestants in a km race. If A can give B a start of 40 m and A can give C a start of 64m how many metre's start can B give C ?

Sol: While A covers 1000 m, B covers $(1000 - 40)$ m = 960 m and

C covers (1000 - 64) m or 936 m.
When B covers 960 m, C covers 936 m.

Ex 6. In a game of 80 points; A can give B 5 points and C 15 points. Then how many points B can give C in a game of 60 ?

Sol. A : B = 80 : 75, A : C = 80 : 65.

$B/C = (B/A * A/C) = (75 / 80 * 80 / 65) = 15/13 = 60 / 52 = 60 : 52$

Therefore ,In a game of 60, B can give C 8 points.



MyStudyGuru

Latest & Updated

AudioBook | Bookstall | Quiz |
NoteBook | Previous Year Paper |
Interview | Study Material.

